



Dell Latitude Rugged Tablet Ecosystem Guide



ACCESSORIES FOR THE ULTIMATE FIELD PRODUCTIVITY

Whether you're at the desk, in your vehicle, or on site, Rugged accessories help you do your job, efficiently and effectively.



Dell Rugged Accessories

Rugged Keyboard

Enhanced field productivity

Rugged Keyboard

Increase your productivity in the field by adding an IP-65 rated full-size keyboard with customizable RGB backlight to your rugged tablet. The keyboard cover attaches magnetically and offers additional screen protection when not in use. The attachable kickstand is included to keep your Latitude 7220/7212 Rugged Extreme Tablet propped upright while you type.

Fully rugged and sealed

Don't worry about your keyboard in the field. The keyboard is ready for the worst conditions and protected from water and dust intrusion.

Customizable RGB backlight

The keyboard features a backlight that can be set to the optimal color and brightness for the environment you work in.

*Sold together with Kickstand only.



Feature	Technical specification
Keyboard	Fully-sealed and customizable RGB backlit keyboard
Touchpad	Resistive touchpad
Keyboard cover	
Certifications*	MIL-STD-810G, IP-65
Dimensions	12.3" x 8" x 0.43" (312 x 203 x 11 mm)
Weight	1.55 lbs. (705 g)

Rugged Kickstand

Versatility for your tablet

Rugged Kickstand

The kickstand for the Latitude 7220/7212 Rugged Extreme Tablet attaches securely to the back of your tablet and provides flexible viewing angles up to 180 degrees. Whether at the desk or on-the-go, get a better hands-free view of your content.



Feature	Technical specification
Physical connection	Tool-less thumb screw (1)
Certifications*	MIL-STD-810G, IP-65
Dimensions	12.3" x 8" x 0.43" (312 x 203 x 11 mm)
Weight	0.21 lbs. (95 g)

Desk Dock

Productivity at the desk

Desk Dock

Maximize productivity when the job brings you back to the office. The Rugged Tablet Desk Dock connects your Latitude 7220/7212 Rugged Extreme Tablet tablet to a large monitor, keyboard/mouse or other peripherals while charging spare batteries at the same time.

Dual-bay battery charger

You can't always depend on a power source when you're out for a long day in the field. The Rugged Tablet Desk Dock allows you to charge your spare batteries, so you'll always have power when you need it most.



Feature	Technical specification
Power	90W AC adapter Spare battery charging slots (2)
Ports and slots	USB 3.0 (2), USB 2.0 (1), gigabit Ethernet, Display Port, VGA, serial ports (2), stereo audio combo jack
Security	Cable lock slot
Dimensions	8.3" x 6.3" x 5.7" (210 x 160 x 145 mm)
Weight	3.53 lbs. (1.6 kg)

I/O Module

Productivity at the desk

I/O Module

The Latitude 7220/7212 Rugged Extreme Tablet features the ability to connect modules that expand the functionality of the system. The I/O Module adds two USB 3.0 ports and an Ethernet port to your Latitude 7220/7212 Rugged Extreme Tablet. The module attaches securely to the back of the tablet when additional ports are needed and can be easily removed when not. For peace of mind, your Latitude 7220/7212 Rugged Extreme Tablet maintains MIL-STD-810G and IP-65 certifications* with the module installed.



Feature	Technical specification
Ports*	Gigabit Ethernet, USB 3.0 (2)
Electrical connection	Pogo-pin array
Physical connection	Tool-less thumb screws (4)
Certifications*	MIL-STD-810G, IP-65
Dimensions	7.95" x 2.17" x 0.87" (202 x 55 x 22 mm)
Weight	0.32 lbs. (144 g)

Scanner Module

Productivity onsite

Scanner Module

The Latitude 7220/7212 Rugged Extreme Tablet features the ability to connect modules that expand the functionality of the system. The Scanner Module adds the ability to read 1D or 2D barcodes and magnetic stripe cards to your Rugged Tablet. The module attaches securely to the back of the tablet when scanning ability is needed and can be easily removed when not. The module has been optimized for the ergonomics of both scanning barcodes and reading cards with magnetic stripes. For peace of mind, your Latitude 7220/7212 Rugged Extreme Tablet maintains MIL-STD-810G and IP-65 certifications* with the module installed.

- Reads 1D/2D barcodes and magnetic stripe cards, even while docked in a vehicle
- Optional Hazardous Location (ANSI/ISA.12.12.01) certified* scanner module (Coming soon)



Feature	Technical specification
Barcodes supported	1D/2D
Electrical connection	Pogo-pin array
Physical connection	Tool-less thumb screws (4)
Sensor resolution	1280 x 960
Focal distance	7.38" (187 mm)
Field of view Horizontal:	48°; Vertical: 36.7°
Tolerance Skew:	±60°; Pitch: ±60°; Roll: 360°
Aiming LED	2x warm white LEDs
Illumination	2x warm white LEDs
Decode range	01.6" (41 mm) - 36.3" (922 mm) (varies by code type)
Supported codes	3 mil Code, 5 mil Code, 5 mil PDF417, 6.67 mil PDF417, 10 mil DataMatrix, 100% UPCA, 15 mil Code 128, 20 mil Code 39
Certifications*	MIL-STD-810G, IP-65, ANSI/ISA (optional)
Dimensions	7.95" x 2.91" x 0.94" (202 x 74 x 24 mm)
Weight	0.34 lbs. (153 g)

Rugged Tablet Battery Charger

Power your tablet, anywhere

Rugged Tablet Battery Charger

The day is long, but the new Rugged Tablet Battery Charger enables you to keep the spare batteries fully charged and ready-to-go to power your day.

- Charges spare tablet batteries outside of the system when docking is not an option
- Backwards compatible with first-generation Latitude 12 Rugged Tablet batteries
- Accepts standard 7.4mm charging barrel or 4.5mm tablet charging barrel
- Charge time is 2.5 hours per battery, one battery is charged at a time



Feature	Technical specification
Items included in the box	Rugged Tablet Batttery Charger
Power Input	45W AC Adapter
Dimenions	112 x 78 x 39mm
Weight	168 grams

Rugged Active Pen

Responsive writing & drawing - even in harsh environments

Responsive writing and drawing

Get a pen-on-paper-like experience with this Dell Rugged Active Pen. The pressure-sensitive design lets the tablet respond as though you are pressing down harder or softer to let you make sketches, send notes and click on folders and applications even when wearing gloves.

Replacement nib storage

A tail enclosure hides away up to four replacement nibs so that you can always carry around spares. Each nib slots in and can quickly be replaced so that you can get on with your day.

Survives harsh environments

This Dell Rugged Active Pen - PN720R can go anywhere your Dell Latitude Rugged tablet can go. The IP55 rating shows it can withstand dust, water, dirt and fog, making it ideal for even the harshest of environments.

Goes with you anywhere

The lightweight design ensures this active pen can go with you almost anywhere. Whether you are an emergency technician getting power back up after a storm, a warehouse worker checking inventory or making repairs on equipment in the middle of nowhere, this pen can handle it.

Simple button operation

Easily copy, select and move objects with a few button presses. This Dell Rugged Active Pen - PN720R makes completing everyday tasks simple.



Manufacturer Part **51Y5W**
Dell Part **750-ABNG**

Feature	Technical specification
Device Type	Stylus
Connectivity	Wireless
Color	Black
Dimenions	0.4 in x 5.5 in x 0.4 in
Weight	3 oz

Dell Rotating Hand Strap

Handy for wherever you go

Gain without pain

The ergonomically designed Velcro closures firmly fit around the contours of your hand while the corner tether attachments enable the hand strap to easily attach to Dell Rugged Extreme Tablets.



A tough companion

The Dell Rotating Hand Strap has been drop tested and validated for durability for use even in harsh conditions. Built with robust Neoprene material and backed by Velcro adhesion, this hand strap meets your rugged workflow needs.

Work stress-free

With the 360-degree swivel feature on the hand strap; enjoy a smooth and easy rotation of your device in landscape, portrait, or any other orientation.



Dell Part #: 750-ADFG

Feature	Technical specification
Product Type	Hand strap
Designed For	Latitude 7212 Rugged Extreme Tablet, 7220 Rugged Extreme Tablet
Color	Black
Dimensions (WxDxH)	11.8 in x 7.5 in x 1 in
Weight	3.53 oz

Carrying Accessories

Take your rugged tablet in the field or on-the-go

Shoulder Strap

Need to run out the door? This comfortable strap makes it easy to carry your rugged tablet on your shoulder, whether you are heading out into the field or to your next meeting.

Rotating Hand Strap

Hold and rotate your rugged tablet with the hand strap featuring a 360-degree swivel

Cross Strap

The cross strap brace attaches to the corners of your rugged tablet and allows you to grip your rugged tablet in the palm of your hand for easy handheld use.

Chest Harness

This comfortable harness secures your rugged tablet to your chest, leaving your hands free to operate the tablet.

Nylon Handle

Need light weight portability? This flexible and sturdy nylon handle makes it easy to carry your rugged tablet without adding a lot of size or weight.

Rigid Handle

Attaches simply and securely to your rugged tablet with easy removal when necessary. The handle feels great in your hand with a rubber mold for grip and a rigid polymer structure for a solid feel.

Carrying Case

Easily carry your Latitude 7220/7212 Rugged Extreme Tablet in a durable carrying case.

Rugged Backpack

The Dell Rugged Backpack offers the ultimate protection in the field for your rugged tablet. Made with durable material, it also provides extra storage for field accessories.



Shoulder Strap



Rotating Hand Strap



Cross Strap



Chest Harness



Nylon Handle



Rigid Handle



Carrying Case



Rugged Backpack

Carrying Accessories

Take your rugged tablet in the field or on-the-go



Shoulder Strap



Rotating Hand Strap



Cross Strap



Chest Harness

Dimensions 10.2" x 12.6" x 6.7"
(25.9 x 32 x 17 cm)
Weight 0.5 lbs. (227 g)

Dimensions 11.8" x 7.5" x 1"
(29.9 x 19 x 2.5 cm)
Weight 0.2 lbs (100 g)

Dimensions 3.3" x 3.3" x 0.4"
(8.5 x 8.5 x 1 cm)
Weight 0.2 lbs. (91 g)

Dimensions 7.8" x 5.7" x 1.97"
(20 x 14.5 x 5 cm)
Weight 0.41 lbs. (186 g)



Nylon Handle

Dimensions 19.1" x 1.18" x 1.02"
(48.1 x 2.9 x 2.6 cm)
Weight 0.12 lbs. (54 g)



Rigid Handle

Dimensions 12.016" x 1.67" x 0.8"
(30.5 x 4.2 x 2.0 cm)
Weight 0.24 lbs. (109 g)



Rugged Backpack

Dimensions 9.6" x 12.99" x 17.7"
(24.4 x 32.9 x 44.9 cm)
Weight 2lbs. (907 g)



Carrying Case



Dell Partner Rugged Accessories

PSI Scanner - Plug-In Module - Decoded

Productivity onsite

Scanner Plug-In Module

The PSI Scanner Plug-In Module (Decoded) features the ability to connect to and expand the functionality of your Latitude 7220/7212 Rugged Extreme Tablet. The Scanner Module adds the ability to read 1D or 2D barcodes and VID to your rugged tablet. The module attaches securely to the back of the tablet when scanning ability is needed and can easily be removed when not. The module has been optimized for the ergonomics of both scanning barcodes using dual trigger technology and VID Identification.

- Reads 1D/2D barcodes even while docked in a vehicle
- Reads VID Identification

Feature	Technical specification
Type	Barcode scanner - plug-in module - decoded
Scan Element Type	CMOS
Barcode	
Minimum Bar Width	3 mil
Max Working Distance	12.5 in
Skew (Degrees)	60
Pitch (Degrees)	60
Decode Capability	Code 39, Code 128, PDF417, DataMatrix Inverse
TTL Decoding	Decoded
OK Notification	LED indicator



Bormann Hand Strap

Easy handheld access to your rugged tablet

Hand Strap

The Bormann hand strap attaches to the back of your Latitude 7220/7212 Rugged Extreme Tablet and allows you to grip your rugged tablet in the palm of your hand, for easy handheld use.



Feature	Technical specification
Product Type	Tablet PC hand strap
Product Material	Rubber, Polyoxymethylene (POM)
Package Content	Strap, 4 x screws, left holder, right holder, 2 x D-Rings, 2 x washers
Color	Black, White

Tablet Vehicle Dock from Havis

Industry-leading quality, safety and comfort

Tablet Vehicle dock from Havis

Mount your Latitude 7220/7212 Rugged Extreme Tablet ergonomically in any vehicle with a reliable vehicle docking solution from the industry-leader, Havis.

Designed for in-vehicle tablet use

The unique ergonomics of a tablet require a unique docking solution. The Havis Rugged Tablet Vehicle Dock was designed to mount your rugged tablet in the optimal position for vehicle use.

Leading quality, safety and comfort

The Havis Rugged Tablet Vehicle Dock is crash tested to SAE J1455 standards to offer you unsurpassed peace of mind in an unpredictable world. Because comfort and safety go hand-in-hand, Havis docks are available with a full suite of mounting options that adjust to fit your space.



Feature	Technical specification
Power	15.6 V DC Optional internal power supply
Ports and slots	USB 3.0 (2), USB 2.0 (1), gigabit Ethernet, Display Port, VGA, serial ports (2), stereo audio combo jack
Mounting pattern	VESA 75
Antenna	Optional dual pass-through (WLAN, WWAN)
Certifications*	MIL-STD-810G, IP-65
Dimensions	14.1" x 13.7" x 3.0" (358 x 348 x 75 mm)
Weight	Dock only: 3.49 lbs. (1.58 kg) Dock with mounting bracket: 4.88 lbs. (2.21 kg)

Configurations

Part number	I/O	External power supply	Internal power supply	Pass-through antenna
DS-DELL-601	•			
DS-DELL-601-2	•			•
DS-DELL-602	•	•		
DS-DELL-602-2	•	•		•
DS-DELL-603				
DS-DELL-603-2				•
DS-DELL-604	•		•	
DS-ELL-604-2	•		•	•

Tablet Vehicle Dock from Gamber-Johnson

Cords and ports accessibility and easy docking

Mount your Latitude 7220/7212 Rugged Extreme Tablet in any vehicle with Gamber-Johnson docking stations.

Quick access to cords and ports

Both the docking station and tablet ports are accessible when the dock is mounted to your vehicle. All cords connect upward at the back of the dock, meaning you won't have any wires hanging in the way when you need to access your vehicle's dashboard.

Dual "Slam & Lock" technology for easy docking

Gamber-Johnson's one-handed operation makes it easy to dock your tablet and go. The guide wall on the bottom of the station ensures the tablet has proper placement every time. Removal is just as easy - simply lift the thumb tab on top and pull your tablet out.



Feature	Technical specification
Power	15.6 V DC
Ports and slots	USB 3.0 (2), USB 2.0 (1), gigabit Ethernet, Display Port, VGA, RS232 serial ports (2), stereo audio combo jack
Security	VESA 75mm
Dimensions	10.38" (26.4 cm) x 12.97" (32.9 cm) x 2.85" (7.2 cm)
Weight	3.6 lbs (1.63 kg)

Configurations

Part number	I/O	External power supply	Internal power supply	Pass-through antenna
7160-0840-00	•			
7160-0840-02	•			•
7170-0552-00	•	•		
7170-0552-02	•	•		•
7170-0552-02				

Lind Modular Battery Charging Bay

Charge your Dell Latitude Rugged Notebook or Tablet batteries

Keep your Dell Latitude Rugged Batteries fully charged with the Lind Electronics Modular Multi Bay Charger. Charge up to 16 batteries per charger with interchangeable battery bays for the Dell Latitude Rugged line of notebooks and tablet. Lind battery chargers incorporate the highest degree of circuit protection to ensure your Dell batteries are charged properly.

- Simultaneously charge Dell batteries for the 5420, 5424 and 7424 Dell Latitude Rugged Notebooks
- Compatible with batteries for the Dell Latitude 7220/7212 Rugged Extreme Tablet



Main Controller **DECHMC-5021**

Vancouver Bay **DECHCB-5022**

Tablet Bay **DECHCB-5023**

Feature	Technical specification
Device Type	Charging dock - external
Compliant Standards	CB, IEC 60950-1, MIL-STD 810G
Min Operating Temperature	32 °F
Max Operating Temperature	104 °F
Dimensions	2" x 6.5" x 3.5" (5.08 x 16.51 x 8.89 cm)

PSSI Charging Cart

Secure, charge, and hold up to seven Latitude Rugged Extreme Tablets

Keep up to seven Latitude Rugged Extreme Tablets secured and charging, with the easy to transport PSSI Charging Cart. A keypad or optional RFID entry helps prevent unauthorized access to tablets in the cart., With a pogo connector based power and network for the tablets, the PSSI Charging Cart eliminates cable management.

- Compatible with Dell Latitude 7220/7212 Rugged Extreme Tablet
- Cisco switch (optional) separately locked under lid
- Exhaust fans run only at high temperature
- Handholds for single person lifting <75lbs
- Dock electronics field-replaceable
- Side LAN ports for upstream and daisy-chaining downstream
- Optional USB Cisco console access inside main door; keeping lid closed



Dell Sku **AB005462**

Synnex Part # **5781287**

Manufacturer Part # **CSI-2000-LAT12**

Feature	Technical specification
Cabinet Material	Powder Coated, 18, 16, and 14 Gauge CRS (External wrap: 18 Ga)
Weight	75 lbs (does not include tablets)
Wall, Floor and Table Mounting Brackets	Leveling feet, floor/table mounting brackets for rigid placement, and wall mounting brackets.
Dimensions	32.21"H x 21.80"W x 12.80"D
Power Input	Removable AC Power cord, 100-240VAC, 50/60Hz, (4.5Amp/120V without Switch) (10 Amp/120V with Cisco Switch)
Warranty	3 year bumper to bumper for all cart components (except tablets)

iKey Keyboard

Enhanced field productivity

iKey Keyboard

This attachable keyboard features a built-in latching mechanism with quick release button. The keyboard also comes with 4-color selectable backlight with four brightness levels each. The keyboard is compatible with Dell Latitude 7220/7212 Rugged Extreme Tablet. With a rigid hinge that holds the tablet up, without a kickstand, this keyboard can convert the tablet into a 2-in-1.



Dell Sku **AA158359**

Feature	Technical specification
Keyboard	Full-size QWERTY keyboard with touchpad in a durable ABS/polycarbonate case
Touchpad	Resistive touchpad
Certifications*	MIL-STD-810G, IP-65
Dimensions	12.3" x 8" x 0.43" (312 x 203 x 11 mm)
Weight	1.6 lbs

Important information

Rugged durability and certifications:

Based on testing and certification to MIL-STD-810G, IEC 60529 (IP52 or IP65), MIL-STD-461F, and ANSI/ISA.12.12.01 standards, performed and reported independently by accredited testing companies. ANSI/ISA.12.12.01 and CAN/CSA C22.2 must be specified at time of order for certification. Some accessories may not be certified to all tests. See the Summary of Independent Environmental Testing document for more details or contact your sales representative for more information.

Availability:

Regional availability may vary for some offerings. Vehicle docking and other peripherals may be offered by third-party providers. Contact your sales representative for feature availability. Some features may be available later than general product availability

Weights and dimensions:

Weights vary depending on configuration and manufacturing variability.



Rugged Accessories - SKU Guide

Product Category	Brand	Regions	Product	Product Description	Non-Tied SKU	Product Compatibility	Image
Handle	Dell	Global	All	Dell Rugged Notebook Nylon Handle (also compatible with rugged tablets)	460-BCMC	5420, 5424, 7424* (also tablets)	
Handle	Dell	Global	All	Dell Rugged Tablet Nylon Handle (also compatible with rugged notebooks)	460-BCHQ	7212, 7220 (also notebooks)	
Handle	Dell	Global	Notebooks	Dell Rigid Notebook Handle	395-BBBN	5420, 5424, 7424*	
Handle	Dell	Global	Tablets	Dell Rigid Tablet Handle	460-BDBM	7212, 7220	
Backpack	Dell	Global	All	Dell Rugged Escape Backpack	460-BCML	7212, 7220, 5420, 5424, 7424	
Chest Harness	Dell	Global	Tablets & notebooks	Dell Rugged Tablet Chest Harness	460-BCHO	7212, 7220 (also notebooks)	
Shoulder Strap	Dell	Global	All	Dell Shoulder Strap for Rugged Notebooks and Tablets	460-BCHN	7212, 7220, 5420, 5424, 7424	
Battery	Dell	Global	Tablets	Dell 34 WHr 2-cell Primary Battery	451-BCDH	7212, 7220	
Battery	Dell	Global	Tablets	Dell Rugged Tablet Battery Charger	451-BCCO	7212, 7220	
Battery	Lind	NA/EMEA	All	Lind Modular Battery Charger-Main Controller	AA560079	All	
Battery	Lind	NA/EMEA	Notebooks	Lind Modular Battery Charger-Charging Bay Notebook	AA560080	5420, 5424, 7424	
Battery	Lind	NA/EMEA	Tablets	Lind Modular Battery Charger-Charging Bay Tablet	AA560081	7212, 7220	
Charging	PSSI	NA	Tablets	PSSI Charging Cabinet	AB005462	7212, 7220	
Keyboard/Kickstand	Dell	Global	Tablets	Dell Rugged Tablet Keyboard with Kickstand	580-AGLL	7212, 7220	
Kickstand	Dell	Global	Tablets	Dell Kickstand for the Dell Rugged Tablet Keyboard (Kickstand only)	452-BCZQ	7212, 7220	
iKey Detachable Keyboard	iKey	NA	Tablets	iKey Detachable Keyboard	AA158359	7212, 7220	
Pen	Dell	Global	Tablet	Dell Rugged Active Pen - PN720R	750-ABNG	7220	
Pen Tips	Dell	Global	Tablet	Dell Rugged Active Pen - PN720R Replacement Tips (5pk)	750-ABNH	7220	
Stylus	Dell	Global	Tablet	Dell Passive Stylus - Rugged 7220	750-ABNE	7220	
Stylus Tips	Dell	Global	Tablet	Dell Passive Stylus - Rugged 7220 Replacement Tips (5pk)	750-ABNF	7220	
Pen	Dell	Global	Notebooks	Dell Passive Pen - Rugged 5420,5424	750-ABIN	5420, 5424	
Pen	Dell	Global	Notebooks	Dell Passive Pen - Rugged 7424	540-BCJT	7424	
Pen	Dell	Global	Tablet	Dell Passive Pen - Rugged 7212	750-ABBC	7212	
Pen	Dell	Global	Tablet	Dell Passive Pen - Rugged 7202	750-AAMF	7202	

* Accessory ships with the 7424 notebook

Product Category	Brand	Regions	Product	Product Description	Non-Tied SKU	Product Compatibility	Image
Pen Tips	Dell	Global	Tablets	Dell Passive Pen - Rugged 7202, 7212 Replacement tips (25pk)	750-AAWZ	7202, 7212	NA
Stylus	Dell	Global	Tablet	Dell Active Stylus for Latitude 12 Rugged Tablet	642-BBBD	7212	
Dock	Dell	Global	Tablet	Dell Rugged Tablet Desk Dock	470-ABNJ	7212, 7220	
Dock	Dell	Global	Notebooks	Dell Rugged Notebook Desk Dock	452-BCGQ	5420, 5424, 7424	
Scanner Module	Dell	Global	Tablet	Dell Rugged Tablet Scanner Module	590-TEUP	7212, 7220	
Scanner Module	Dell	Global	Tablet	PSI Scanner Module - Dell Rugged 7212/7220 Tablets	A9876983	7212, 7220	
I/O Module	Dell	Global	Tablet	Dell I/O Module	590-TEXX	7212, 7220	
Vehicle Dock	Gamber Johnson		Tablets	7160-0840-02; Gamber-Johnson Docking Station - Dual RF - Docking station - VGA	A9777900	7212, 7220	
Vehicle Dock	Gamber Johnson		Tablets	7160-0840-00; Gamber-Johnson Docking Station - No RF - Docking station - VGA, DP - 10Mb LAN	A9777898	7212, 7220	
Vehicle Dock	PMT		Tablets	PMT AS7.D920.102; Dual Pass-Through RF	A8818438	7212, 7220	
Antenna	Panorama		Notebooks	The GPSB Sharkee Kit : Low Profile Heavy Duty 3-in-1 Combination Antenna	AA328892	7214, 7424, 5424, 5420	
Antenna	Panorama		Tablets	2-1 Sharkfin Wifi + GPS, 16 TNC	AA571077	7212	
Antenna	Panorama		Notebooks	The 3-in-1 FEZ : Ground Plane Independent Antenna Containing Wide-band LTE/CEL	AA328829	7214, 7424, 5424, 5420	
Antenna	Panorama		Tablets	2-1 FEZ Wifi + GPS, 16 TNC	AA5701075	7212	
Antenna	Panorama		Notebooks	Adhesive Dashboard Mount GPSC - contains an antenna element covering global CE	AA328896	7214, 7424, 5424, 5420	
Antenna	Panorama		Tablets	2-1 Dash Mount LTE + Wifi 3M/9.9 TNC	AA720314	7212	
Hand Strap	Dell		Tablets	Dell Hand Strap for Rugged Tablets - partial rotation	460-BBTE	7212, 7220	
Hand Strap	Dell		Tablets	Dell Cross Strap for Rugged Tablets	460-BCHP	7212, 7220	
Hand Strap	Bormann		Tablets	Bormann Hand Strap (with brackets and hardware)	AB090797	7212, 7220	
Backpack	Crib Gogh		All	Crib Gogh Constrictor Backpack	AB135285	All Rugged systems	
Rotating Hand Strap	Dell	Global	Tablets	Hand strap with 360-degree swivel to rotate the tablet	750-ADFG	7212, 7220	