

Table	Pollutant	CAS No.	ICIS Parameter Name	Applicability	Instructions	Maximum Daily Discharge symbol (<, >, ND, =)	Maximum Daily Discharge value	Maximum Daily Discharge units	Maximum Daily Discharge qualifier (ex. B, J, U, etc.)	Average Daily Discharge symbol (<, >, ND, =)	Average Daily Discharge value	Average Daily Discharge units	Average Daily Discharge qualifier (ex. B, J, U, etc.)	Number of Samples	Analytical Method	ML or MDL	ML or MDL units	Notes
A	Biochemical Oxygen Demand		BOD, 5-day, 20 deg. C	Effluent parameters for all POTWs	BOD5 or CBOD5 (report one) Sampling for BOD5, CBOD5, Fecal Coliform, and Total Suspended Solids (TSS) is not required for groundwater dischargers. BOD5 or CBOD5 (report one)			mg/L				mg/L					mg/L	Permit Parameter daily samples 2023 +1 NY2A
A	Carbonaceous Biochemical Oxygen Demand		BOD, carbonaceous [5 day, 20 C]	Effluent parameters for all POTWs	Sampling for BOD5, CBOD5, Fecal Coliform, and Total Suspended Solids (TSS) is not required for groundwater dischargers.		7	mg/L		<	3	mg/L	B1,K,X	366	SM 5210 B-21	3	mg/L	
A	Fecal Coliform		Coliform, fecal general	Effluent parameters for all POTWs	Sampling for BOD5, CBOD5, Fecal Coliform, and Total Suspended Solids (TSS) is not required for groundwater dischargers.		114	cfu/100ml		<	16	cfu/100ml	E	215	SM 9222 D-2	1	cfu/100ml	
A	Design Flow Rate		Flow, in conduit or thru treatment plant	Effluent parameters for all POTWs			116.4	MGD			63.4	MGD		359				SCADA Server failure no flows 6/23/2023-6/28/2023
A	Minimum pH		pH	Effluent parameters for all POTWs			6.42	SU			6.72	SU		2190		0.1	SU	6 samples per day 2023
A	Maximum pH		pH	Effluent parameters for all POTWs			7.56	SU			7.36	SU		2190		0.1	SU	6 samples per day 2023
A	Winter Temperature		Temperature	Effluent parameters for all POTWs			17.9	°C			12.9	°C		1272		0.5	°C	(Nov -May) 6 samples per day 2023
A	Summer Temperature		Temperature	Effluent parameters for all POTWs			22.8	°C			20.5	°C		918		0.5	°C	(June -Oct) 6 samples per day 2023
A	Total Suspended Solids		Solids, total suspended	Effluent parameters for all POTWs	Sampling for BOD5, CBOD5, Fecal Coliform, and Total Suspended Solids (TSS) is not required for groundwater dischargers.		10	mg/L		<	5	mg/L		366	SM 2540 D-2	2.5	mg/L	Daily Samples 2023 +1 NY2A
A	Mercury	7439-97-6	Mercury, total [as Hg]	Effluent parameters for all POTWs	Analysis for Mercury must be performed utilizing the low-level, USEPA Method 1631.		1.3	ng/L		<	0.72	ng/L		13	EPA 1631 E	0.5	ng/L	Monthly (3 grab individually analyzed and averaged for daily composite per permit) Samples 2023 +1 NY2A
A	Perfluorobutanoic acid (PFBA)	375-22-4		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.	<	0.0081	µg/l		<	0.0075	µg/l		5	EPA 1633	0.008	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluoropentanoic acid (PFPeA)	2706-90-3		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.		0.012	µg/l			0.009	µg/l		5	EPA 1633	0.004	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluorohexanoic acid (PFHxA)	307-24-4		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.		0.0099	µg/l			0.0073	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluoroheptanoic acid (PFHpA)	375-85-9		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.	<	0.002	µg/l		<	0.0019	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluorooctanoic acid (PFOA)	335-67-1		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.		0.0039	µg/l			0.0035	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluorononanoic acid (PFNA)	375-95-1		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.		0.0022	µg/l		<	0.0019	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluorodecanoic acid (PFDA)	335-76-2		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.	<	0.002	µg/l		<	0.0019	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluoroundecanoic acid (PFUnA)	2058-94-8		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.	<	0.002	µg/l		<	0.0019	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluorododecanoic acid (PFDoA)	307-55-1		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.	<	0.002	µg/l		<	0.0019	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
A	Perfluorotridecanoic acid (PFTriA)	72629-94-8		Effluent parameters for all POTWs	Analysis for the PFAS suite of compounds must be performed utilizing USEPA Method 1633.	<	0.002	µg/l		<	0.0019	µg/l		5	EPA 1633	0.002	µg/l	June 2023 -June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

Page 2 of 13

A	1,4-Dioxane	123-91-1	1,4-Dioxane	Effluent parameters for all POTWs	Analysis for 1,4-Dioxane must be performed utilizing USEPA Method 8270E SIM or 8270D SIM.	<	0.0002	µg/l		<	0.0002	µg/l		3	SW846 8270I	0.2	µg/l	June 2023 - June 2024 Table A organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
B	Total Residual Chlorine (TRC)		Chlorine, total residual	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD	Facilities that do not use chlorine for disinfection, do not use chlorine elsewhere in the treatment process, and have no reasonable potential to discharge chlorine in their effluent are not required to report data for chlorine.			mg/L				mg/L		0	EPA 330.4 DI	0.1	mg/L	No Chlorination associated with outfall 001
B	Dissolved Oxygen		Oxygen, dissolved [DO]	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD	Sampling for Dissolved Oxygen and Total Kjeldahl Nitrogen (TKN) are not required for groundwater dischargers. The value(s) provided for Dissolved Oxygen must be a minimum Dissolved Oxygen concentration.		11.27	mg/L			11.06	mg/L		2	Unit: YSI Pro	0.01	mg/L	Field measurement (Feb 2020 - July 2024)
B	Oil and Grease		Oil & Grease	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD		<	4	mg/L		<	4	mg/L		10	EPA 1664A	3	mg/L	Feb 2020 - July 2024
B	Nitrite (as N)		Nitrogen, nitrite total [as N]	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD			1.44	mg/L		<	0.119	mg/L		53	EPA 353.2, R	0.025	mg/L	Weekly samples 2023 + 1 NY2A
B	Nitrate (as N)		Nitrogen, nitrate total [as N]	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD			18	mg/L			12.3	mg/L		53	EPA 353.2, R	0.025	mg/L	Weekly samples 2023 + 1 NY2A
B	Ammonia (as N)		Nitrogen, ammonia total [as N]	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD			2.05	mg/L			0.354	mg/L	X	366	EPA 350.1, R	0.03	mg/L	Daily samples 2023 + 1 NY2A
B	Total Kjeldahl Nitrogen (TKN)		Nitrogen, Kjeldahl total [as N]	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD	Sampling for Dissolved Oxygen and Total Kjeldahl Nitrogen (TKN) are not required for groundwater dischargers.		2.9	mg/L			1.07	mg/L	X	366	EPA 351.2, R	0.15	mg/L	Daily samples 2023 + 1 NY2A
B	Total Nitrogen (as N)		Nitrogen, total [as N]	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD			18.7	mg/L			13.5	mg/L		53	Calculated	0.175	mg/L	Weekly samples 2023 + 1 NY2A
B	Total Phosphorus (as P)		Phosphorus, total [as P]	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD			0.161	mg/L			0.065	mg/L	N	366	EPA 365.1, R	0.05	mg/L	Daily samples 2023 + 1 NY2A
B	Total Dissolved Solids		Solids, total dissolved	Effluent parameters for all POTWs with a flow equal to or greater than 0.1 MGD & groundwater discharges >30,000 GPD			1719	mg/L			1023	mg/L	N	53	SM 2540 C-2/	25	mg/L	Weekly samples 2023 + 1 NY2A
C	Hardness (as CaCO3)		Hardness, total [as CaCO3]	All POTWS >1 MGD and other selected POTWS			541	mg/L			418	mg/L		3	Calculated	15.14	mg/L	May 2022 -July 2024
C	Antimony, Total Recoverable	7440-36-0	Antimony, Total Recoverable	All POTWS >1 MGD and other selected POTWS		<	0.01	mg/L		<	0.01	mg/L		4	EPA 200.7, R	0.01	mg/L	April 2022 -July 2024
C	Arsenic, Total Recoverable	7440-38-2	Arsenic, Total Recoverable	All POTWS >1 MGD and other selected POTWS			0.003	mg/L	N	<	0.002	mg/L	N	53	EPA 200.9, R	0.002	mg/L	Weekly samples 2023 + 1 NY2A
C	Beryllium, Total Recoverable	7440-41-7	Beryllium, Total Recoverable	All POTWS >1 MGD and other selected POTWS		<	0.002	mg/L		<	0.002	mg/L		4	EPA 200.7, R	0.002	mg/L	April 2022 -July 2024

C	Cadmium, Total Recoverable	7440-43-9	Cadmium, Total Recoverable	All POTWS >1 MGD and other selected POTWS	<	0.0008	mg/L	N	<	0.0008	mg/L	N	55	EPA 200.9, R	0.0008	mg/L	Weekly Sampling 2023 + 2 high intensity samples & 1 NY2A
C	Chromium, Total Recoverable	7440-47-3	Chromium, Total Recoverable	All POTWS >1 MGD and other selected POTWS	<	0.008	mg/L	N	<	0.008	mg/L	N	55	EPA 200.7, R	0.008	mg/L	Weekly Sampling 2023 + 2 high intensity samples & 1 NY2A
C	Copper, Total Recoverable	7440-50-8	Copper, Total Recoverable	All POTWS >1 MGD and other selected POTWS	<	0.01	mg/L	N	<	0.01	mg/L	N	55	EPA 200.7, R	0.01	mg/L	Weekly Sampling 2023 + 2 high intensity samples & 1 NY2A
C	Lead, Total Recoverable	7439-92-1	Lead, Total Recoverable	All POTWS >1 MGD and other selected POTWS	<	0.002	mg/L	N	<	0.002	mg/L	N	55	EPA 200.9, R	0.002	mg/L	Weekly Sampling 2023 + 2 high intensity samples & 1 NY2A
C	Nickel, Total Recoverable	7440-02-0	Nickel, Total Recoverable	All POTWS >1 MGD and other selected POTWS		0.017	mg/L		<	0.015	mg/L	N	55	EPA 200.7, R	0.015	mg/L	Weekly Sampling 2023 + 2 high intensity samples & 1 NY2A
C	Selenium, Total Recoverable	7782-49-2	Selenium, Total Recoverable	All POTWS >1 MGD and other selected POTWS		0.004	mg/L		<	0.002	mg/L	N	53	EPA 200.9, R	0.002	mg/L	Weekly Sample2023 = 1 NY2A
C	Silver, Total Recoverable	7440-22-4	Silver, Total Recoverable	All POTWS >1 MGD and other selected POTWS	<	0.01	mg/L	N	<	0.01	mg/L	N	53	EPA 200.7, R	0.01	mg/L	Weekly Sample2023 = 1 NY2A
C	Thallium, Total Recoverable	7440-28-0	Thallium, Total Recoverable	All POTWS >1 MGD and other selected POTWS		0.008	mg/L		<	0.008	mg/L		4	EPA 200.7, R	0.02	mg/L	April 2022 -July 2024
C	Zinc, Total Recoverable	7440-66-6	Zinc, Total Recoverable	All POTWS >1 MGD and other selected POTWS	<	0.02	mg/L	N	<	0.02	mg/L	N	55	EPA 200.7, R	0.02	mg/L	Weekly Sampling 2023 + 2 high intensity samples & 1 NY2A
C	Cyanide, Total	57-12-5	Cyanide, total [as CN]	All POTWS >1 MGD and other selected POTWS		0.005	mg/L		<	0.004	mg/L		4	EPA 335.4 R	0.003	mg/L	NY2A required composite April 2022 -July 2024
C	Cyanide, Free	57-12-5	Cyanide, free available	All POTWS >1 MGD and other selected POTWS			mg/L				mg/L					mg/L	New NY2A parameter test not performed
C	Total Phenolic Compounds		Phenolics, total recoverable	All POTWS >1 MGD and other selected POTWS	<	0.005	mg/L	M	<	0.005	mg/L	M	11	EPA 420.4, R	0.005	mg/L	Semi Annual Feb 2020 - Jul 2024 + 1 NY2A
C	Acrolein	107-02-8	Acrolein	All POTWS >1 MGD and other selected POTWS	<	20	µg/l		<	20	µg/l		3	SW846 82601	20	µg/l	May 2022 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Acrylonitrile	107-13-1	Acrylonitrile	All POTWS >1 MGD and other selected POTWS	<	5	µg/l		<	5	µg/l		3	SW846 82601	5	µg/l	May 2022 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Benzene	71-43-2	Benzene	All POTWS >1 MGD and other selected POTWS	<	1	µg/l		<	1	µg/l		5	SW846 82601	5	µg/l	Feb 2020 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Bromoform	75-25-2	Bromoform	All POTWS >1 MGD and other selected POTWS	<	1	µg/l		<	1	µg/l		5	SW846 82601	5	µg/l	Feb 2020 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Carbon Tetrachloride	56-23-5	Chlorobenzene	All POTWS >1 MGD and other selected POTWS	<	1	µg/l		<	1	µg/l		5	SW846 82601	5	µg/l	Feb 2020 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Chlorobenzene	108-90-7	Chlorobenzene	All POTWS >1 MGD and other selected POTWS	<	1	µg/l		<	1	µg/l		5	SW846 82601	5	µg/l	Feb 2020 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Chlorodibromomethane	124-48-1	Chlorodibromomethane	All POTWS >1 MGD and other selected POTWS	<	1	µg/l		<	1	µg/l		5	SW846 82601	5	µg/l	Feb 2020 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Chloroethane	75-00-3	Chloroethane	All POTWS >1 MGD and other selected POTWS	<	1	µg/l		<	1	µg/l		5	SW846 82601	5	µg/l	Feb 2020 -July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

C	2-Chloroethylvinyl ether	110-75-8	2-Chloroethyl vinyl ether, [mixed]	All POTWS >1 MGD and other selected POTWs	<	5	µg/l	<	5	µg/l	3	SW846 82601	5	µg/l	May 2022 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Chloroform	67-66-3	Chloroform	All POTWS >1 MGD and other selected POTWs	<	5	µg/l	<	3.1	µg/l	22	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Dichlorobromomethane	75-27-4	Dichlorobromomet hane	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,1-Dichloroethane	75-34-3	1,1- Dichloroethane	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,2-Dichloroethane	107-06-2	1,2- Dichloroethane	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	trans-1,2-Dichloroethylene	156-60-5	trans-1,2- Dichloroethylene	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	0.9	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,1-Dichloroethylene	75-35-4	1,1- Dichloroethylene	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,2-Dichloropropane	78-87-5	1,2- Dichloropropane	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,3-Dichloropropylene	542-75-6	1,3- Dichloropropylene	All POTWS >1 MGD and other selected POTWs	<	2	µg/l	<	2	µg/l	3	SW846 82601	5	µg/l	May 2022 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Ethylbenzene	100-41-4	Ethylbenzene	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Methyl Bromide	74-83- 9	Methyl bromide [Bromomethane]	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Methyl Chloride	74-87-3	Methyl chloride [Chloromethane]	All POTWS >1 MGD and other selected POTWs	<	1	µg/l	<	1	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Methylene Chloride	75-09-2	Methylene chloride	All POTWS >1 MGD and other selected POTWs	<	5	µg/l	<	0.9	µg/l	5	SW846 82601	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

C	1,1,2,2-Tetrachloroethane	79-34-5	1,1,2,2-Tetrachloroethane	All POTWS >1 MGD and other selected POTWs	<	1	µg/l		<	1	µg/l		5	SW846 8260	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Tetrachloroethylene	127-18-4	Tetrachloroethylene	All POTWS >1 MGD and other selected POTWs	<	1	µg/l		<	1	µg/l		5	SW846 8260	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Toluene	5216-25-1	Toluene	All POTWS >1 MGD and other selected POTWs	<	1	µg/l		<	1	µg/l		5	SW846 8260	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,1,1-Trichloroethane	71-55-6	1,1,1-Trichloroethane	All POTWS >1 MGD and other selected POTWs	<	1	µg/l		<	1	µg/l		5	SW846 8260	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,1,2-Trichloroethane	79-00-5	1,1,2-Trichloroethane	All POTWS >1 MGD and other selected POTWs	<	1	µg/l		<	1	µg/l		5	SW846 8260	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Trichloroethylene	79-01-6	Trichloroethylene	All POTWS >1 MGD and other selected POTWs	<	1	µg/l		<	1	µg/l		5	SW846 8260	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Vinyl Chloride	75-01-4	Vinyl chloride	All POTWS >1 MGD and other selected POTWs	<	1	µg/l		<	1	µg/l		5	SW846 8260	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	p-Chloro-m-cresol	59-50-7	p-Chloro-m-cresol	All POTWS >1 MGD and other selected POTWs	<	25	µg/l	*1	<	9.3	µg/l	*1	14	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2-Chlorophenol	95-57-8	2-Chlorophenol	All POTWS >1 MGD and other selected POTWs	<	25	µg/l		<	9.3	µg/l		14	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2,4-Dichlorophenol	120-83-2	2,4-Dichlorophenol	All POTWS >1 MGD and other selected POTWs	<	25	µg/l	*1	<	9.3	µg/l	*1	14	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2,4-Dimethylphenol	105-67-9	2,4-Dimethylphenol	All POTWS >1 MGD and other selected POTWs	<	25	µg/l	*1	<	9.3	µg/l	*1	14	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	4,6-Dinitro-o-cresol	534-52-1		All POTWS >1 MGD and other selected POTWs	<	51	µg/l		<	18	µg/l		5	EPA 625.1	10	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2,4-Dinitrophenol	51-28-5	2,4-Dinitrophenol	All POTWS >1 MGD and other selected POTWs	<	51	µg/l		<	19	µg/l		14	EPA 625.1	10	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

C	2-Nitrophenol	88-75-5		All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9.3	µg/l		14	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	4-Nitrophenol	100-02-7		All POTWS >1 MGD and other selected POTWS		<	76	µg/l		<	27	µg/l		14	EPA 625.1	10	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Pentachlorophenol	87-86-5	Pentachloropheno l	All POTWS >1 MGD and other selected POTWS		<	51	µg/l		<	19	µg/l	*1	14	EPA 625.1	10	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Phenol	108-95-2	Phenol	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	10	µg/l		10	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2,4,6-Trichlorophenol	88-06-2	2,4,6- Trichlorophenol	All POTWS >1 MGD and other selected POTWS		<	25	µg/l	*1	<	9.3	µg/l	*1	12	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Acenaphthene	83-32-9	Acenaphthene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Acenaphthylene	208-96-8	Acenaphthylene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Anthracene	120-12-7	Anthracene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Benzidine	92-87-5	Benzidine	All POTWS >1 MGD and other selected POTWS		<	400	µg/l		<	140	µg/l	*-1	5	EPA 625.1	80	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Benzo(a)anthracene	56-55-3	Benzo(a)anthracene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Benzo(a)pyrene	50-32-8	Benzo(a)pyrene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	3,4-Benzofluoranthene	205-99-2	3,4- Benzofluoranthene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l	*1	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Benzo(ghi)perylene	191-24-2	Benzo[ghi]perylene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l	*1	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

C	Benzo(k)fluoranthene	207-08-9	Benzo(k)fluoranthene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Bis(2-chloroethoxy)methane	111-91-1	Bis[2-chloroethoxy]methane	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Bis(2-chloroethyl)ether	111-44-4	Bis[2-chloroethyl] ether	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Bis(2-chloroisopropyl)ether	108-60-1		All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Bis(2-ethylhexyl)phthalate	117-81-7	Di[2-ethylhexyl] phthalate [DEHP]	All POTWS >1 MGD and other selected POTWS		<	51	µg/l		<	11	µg/l	J	23	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	4-Bromophenyl phenyl ether	101-55-3		All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Butyl benzyl phthalate	85-68-7	Butyl benzyl phthalate	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	5	µg/l		23	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2-Chloronaphthalene	91-58-7	2-Chloronaphthalene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	4-Chlorophenyl phenyl ether	7005-72-3	4-Chlorophenyl phenyl ether	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Chrysene	218-01-9	Chrysene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Di-n-butyl phthalate	84-74-2	Di-n-butyl phthalate	All POTWS >1 MGD and other selected POTWS		<	25	µg/l	*+	<	5.9	µg/l	*+	23	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Di-n-octyl phthalate	117-84-0	Di-n-octyl phthalate	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Dibenzo(a,h)anthracene	53-70-3	Dibenz[a,h]anthracene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

C	1,2-Dichlorobenzene	95-50-1	1,2-Dichlorobenzene	All POTWS >1 MGD and other selected POTWS		<	51	µg/l		<	13	µg/l		7	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,3-Dichlorobenzene	541-73-1	1,3-Dichlorobenzene	All POTWS >1 MGD and other selected POTWS		<	51	µg/l		<	13	µg/l		7	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,4-Dichlorobenzene	106-46-7	1,4-Dichlorobenzene	All POTWS >1 MGD and other selected POTWS		<	51	µg/l		<	13	µg/l		7	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	3,3-Dichlorobenzidine	91-94-1	3,3'-Dichlorobenzidine	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Diethyl phthalate	84-66-2	Diethyl phthalate	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	8.1	µg/l	J,B,*+	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Dimethyl phthalate	84-74-2	Dimethyl phthalate	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l	++	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2,4-Dinitrotoluene	121-14-2	2,4-Dinitrotoluene	All POTWS >1 MGD and other selected POTWS		<	51	µg/l		<	16	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	2,6-Dinitrotoluene	606-20-2	2,6-Dinitrotoluene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,2-Diphenylhydrazine	122-66-7	1,2-Diphenylhydrazine	All POTWS >1 MGD and other selected POTWS		<	51	µg/l		<	24	µg/l		3	EPA 625.1	10	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Fluoranthene	206-44-0	Fluoranthene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Fluorene	86-73-7		All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Hexachlorobenzene	118-74-1	Hexachlorobenzene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Hexachlorobutadiene	87-68-3	Hexachlorobutadiene	All POTWS >1 MGD and other selected POTWS		<	25	µg/l		<	9	µg/l		5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

C	Hexachlorocyclo-pentadiene	77-47-4	Hexachlorocyclopentadiene	All POTWS >1 MGD and other selected POTWS	<	51	µg/l	<	16	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Hexachloroethane	67-72-1	Hexachloroethane	All POTWS >1 MGD and other selected POTWS	<	51	µg/l	<	16	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Indeno(1,2,3-cd)pyrene	193-39-5	Indeno[1,2,3-cd]pyrene	All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Isophorone	78-59-1	Isophorone	All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Naphthalene	91-20-3	Naphthalene	All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Nitrobenzene	98-95-3		All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	n-Nitrosodi-n-propylamine	621-64-7		All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	n-Nitrosodimethylamine	62-75-9	n-Nitrosodimethylamine	All POTWS >1 MGD and other selected POTWS	<	51	µg/l	<	18	µg/l	5	EPA 625.1	10	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	n-Nitrosodiphenylamine	86-30-6	N-Nitrosodiphenylamine	All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Phenanthrene	85-01-8	Phenanthrene	All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	Pyrene	129-00-0	Pyrene	All POTWS >1 MGD and other selected POTWS	<	25	µg/l	<	9	µg/l	5	EPA 625.1	5	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
C	1,2,4-Trichlorobenzene	120-82-1	1,2,4-Trichlorobenzene	All POTWS >1 MGD and other selected POTWS	<	51	µg/l	<	18	µg/l	5	EPA 625.1	10	µg/l	Feb 2020 - July 2024 Table C organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	Aldrin	309-00-2	Aldrin	Pesticides & additional pollutants as requested by NYSDEC	<	0.051	µg/l	<	0.051	µg/l	3	EPA 608.3	0.05	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.

D	Heptachlor epoxide	1024-57-3	Heptachlor epoxide	Pesticides & additional pollutants as requested by NYSDEC		<	0.051	µg/l		<	0.051	µg/l		3	EPA 608.3	0.05	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	PCB-1242	53469-21-9	PCB-1242	Pesticides & additional pollutants as requested by NYSDEC		<	0.068	µg/l		<	0.063	µg/l		3	EPA 608.3	0.06	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	PCB-1254	11097-69-1	PCB-1254	Pesticides & additional pollutants as requested by NYSDEC		<	0.068	µg/l		<	0.063	µg/l		3	EPA 608.3	0.06	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	PCB-1221	11104-28-2	PCB-1221	Pesticides & additional pollutants as requested by NYSDEC		<	0.068	µg/l		<	0.063	µg/l		3	EPA 608.3	0.06	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	PCB-1232	11141-16-5	PCB-1232	Pesticides & additional pollutants as requested by NYSDEC		<	0.068	µg/l		<	0.063	µg/l		3	EPA 608.3	0.06	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	PCB-1248	12672-29-6	PCB-1248	Pesticides & additional pollutants as requested by NYSDEC		<	0.068	µg/l		<	0.063	µg/l		3	EPA 608.3	0.06	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	PCB-1260	11096-82-5	PCB-1260	Pesticides & additional pollutants as requested by NYSDEC		<	0.068	µg/l		<	0.063	µg/l		3	EPA 608.3	0.06	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	PCB-1016	12674-11-2	PCB-1016	Pesticides & additional pollutants as requested by NYSDEC		<	0.068	µg/l		<	0.063	µg/l		3	EPA 608.3	0.06	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.
D	Toxaphene	8001-35-2	Toxaphene	Pesticides & additional pollutants as requested by NYSDEC		<	0.051	µg/l		<	0.051	µg/l		3	EPA 608.3	0.05	µg/l	May 2022 - July 2024 Table D organics Method Limits are general as provided by Test America- Buffalo. Samples received by Test America Buffalo may be distributed to other Test America labs for analysis and may have different Method Limits. Average value may include estimated values - analyte detected higher than MDL but less than ML.